Instructions: This is a work along tutorial. Attempt to solve each problem before looking at the solution. Record all your work and all steps involved in the problem solving on your notebook paper. Turn in your paper when you are finished.



Problem #1: Dimensional Analysis Review

Sam has entered into a 10 mile race. Use ALL of the following conversions (ratios) to determine how many inches there are in the race. 5280 ft = 1 mile; 12 inches = 1 ft



Problem #2: Grams to moles review

Determine how many moles there are in 5.17 grams of $Fe(C_5H_5)_2$.

Problem #3: Mole – Mole Conversions

When N_2O_5 is heated, it decomposes:

 $2N_2O_5(g) \rightarrow 4NO_2(g) + O_2(g)$

a. How many moles of NO₂ can be produced from 4.3 moles of N₂O₅?

b. How many moles of O_2 can be produced from 4.3 moles of N_2O_5 ?

Problem #4 gram ↔ mole and gram ↔ gram conversions

When N_2O_5 is heated, it decomposes: $2N_2O_5(g) \rightarrow 4NO_2(g) + O_2(g)$

a. How many moles of N₂O₅ were used if 21<u>0g</u> of NO₂ were produced?

b. How many grams of N_2O_5 are needed to produce 75.0 grams of O_2 ?

Problem #5: Gram to Gram Conversions

Aluminum is an active metal that when placed in hydrochloric acid produces hydrogen gas and aluminum chloride. How many grams of aluminum chloride can be produced when 3.45 grams of aluminum are reacted with an excess of hydrochloric acid?

 $Al(s) + HCl(aq) \rightarrow AlCl_3(aq) + H_2(g)$



Problem #6 Limiting/Excess/ Reactant and Theoretical Yield Problems :

Potassium superoxide, KO₂, is used in rebreathing gas masks to generate oxygen.

 $4KO_2(s) + 2H_2O(l) \rightarrow 4KOH(s) + 3O_2(g)$

a. How many moles of O₂ can be produced from 0.15 mol KO₂ and 0.10 mol H₂O?
b. Determine the limiting reactant.

Problem #7 Theoretical yield vs. Actual yield

Suppose the theoretical yield for an experiment was calculated to be 19.5 grams, and the experiment was performed, but only 12.3 grams of product were recovered. Determine the % yield.

% yield=
$$\frac{\text{actual yield}}{\text{theoretical yield}} \times 100$$

Problem #8: Limiting/Excess Reactant Problem with % Yield

$4KO_2(s) + 2H_2O(l) \rightarrow 4KOH(s) + 3O_2(g)$

If a reaction vessel contains 120.0 g of KO_2 and 47.0 g of H_2O , how many grams of O_2 can be produced?



Problem #9: Honors Only! If only 35.2 g of O₂ were recovered, what was the percent yield?